








REV	DATE	DESCRIPTTON	REVISER
1.0			



SECTION Z-Z



SECTION Y-Y



Ordering information & Specifications					Unit:mm
Part No	Wire Range	Insultion O.D.	Material	Finish	Qty/reel
A3965-TB	AWG# 18-#24	3.20mm(max)	Brass	Tin-plated	5,000 pcs

Note:e-stamping before Tin-plated

Specification					
Client:			Drawing No: A3965-T		
Tolerance	Draw By: LIZhiQiang	Date: 2008-05-26	Unit:mm	Scale:	Enone
X. X≤0.25	Checked: HE.	Date: 2008-05-26			
X. XX≤0.15	Approved:	Date:			
X. XXX≤0.10	Material:	Edition: A			

REV	DATE	DESCRIPTION	REVISER
1.0			

Specifications

Current rating: 7A AC,DC

Voltage rating: 250V AC,DC

Temperature range: -25℃ ~ +85℃

Contact resistance: 10mΩ Max.

Insulation resistance: 1000MΩ Min.

Withstanding voltage: 1500V AC/minute

Material: Nylon 66,UL94V-2

Ordering Information & Dimensions:




PART NO.	Dimensions	
	A	B
A3965H-2P	3.96	10.58
A3965H-3P	7.92	14.54
A3965H-4P	11.88	18.50
A3965H-5P	15.84	22.46
A3965H-6P	19.80	26.42
A3965H-7P	23.76	30.38
A3965H-8P	27.72	34.34
A3965H-9P	31.68	38.30
A3965H-10P	35.64	42.26
A3965H-11P	39.60	46.22
A3965H-12P	43.56	50.18

Unit:mm




Specification

Client:		Drawing No: A3965H-NP	
Tolerance	Draw By: LIZhiQiang	Date: 2008-05-26	Unit:mm Scale:Enone
X. X≤0. 25	Checked: HE.	Date: 2008-05-26	
X. XX≤0. 15	Approved:	Date:	
X. XXX≤0. 10	Material:	Edition: A	



2 CIRCUIT ONLY



REV	DATE	DESCRIPTTON	REVISER
1.0			

Specifications

Current rating: 7A AC,DC

Voltage rating: 250V AC,DC

Temperature range: -25°C ~ +85°C

Contact resistance: 10mΩ Max.

Insulation resistance: 1000MΩ Min.

Withstanding voltage: 1500V AC/minute



Material: Pin: Brass/Tin-plated

Wafer: Nylon 66,UL94V-0



Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
A3965WV-2P	3.96	10.58
A3965WV-3P	7.92	14.54
A3965WV-4P	11.88	18.50
A3965WV-5P	15.84	22.46
A3965WV-6P	19.80	26.42
A3965WV-7P	23.76	30.38
A3965WV-8P	27.72	34.34
A3965WV-9P	31.68	38.30
A3965WV-10P	35.64	42.26
A3965WV-11P	39.60	46.22
A3965WV-12P	43.56	50.18

Unit:mm



PCB LAYOUT: COMPONENT SIDE
PCB THICKNESS: 1.60



CJT[®] CHANGJIANG CONNECTORS CO., LTD.
CHANGJIANG CONNECTORS

Specification

Client:		Drawing No: A3965WV-NP	
Tolerance	Draw By: LIZhiQiang	Date: 2008-05-26	Unit:mm Scale:Enone
X. X≤0. 25	Checked: HE.	Date: 2008-05-26	
X. XX≤0. 15	Approved:	Date:	
X. XXX≤0. 10	Material:	Edition: A	