



确认此型号所有图纸 签字确认:

GENERAL TOLERANCE: ±0.2


PIN	NAME
1	CS
2	WR
3	DB0
4	DB1
5	DB2
6	DB3
7	VSS
8	VDD
9	VLCD



SHEET: 1 OF 1		SHENZHEN 深圳天和电子有限公司 SHEN ZHEN TLOOM ELECTRONICS CO., LTD.	
GENERAL TOU 50.20	LIMS MM	MODULE NUMBER: T111103A	TEL:0755-29161619
CUS NO.:	ZXM	DRAW BY:	FAX:0755-29161639
CHK BY:	LQIN	APP BY:	DATE: 19-NOV-2011
DO NOT SCALE THIS DRAWING.		PROJECTION	

确认此型号所有图纸 签字确认:

GENERAL TOLERANCE:±0.2




NOTES:  
COLOR: WHITE, 以样品为准, 但不保证完全一致!  
FORWARD CURRENT LIMIT: 15mA/1Die(TYPE),20mA/1Die(MAX)  
FORWARD VOLTAGE: 2.9V--3.1V  
LUMINOUS TOLERANCE: MIN/MAX\*100>=75%  
STORAGE TEMP: -40°C~~+85°C  
OPERATING TEMP: -30°C~~+70°C

SHEET: 1 OF 3		UNITS MM	
GENERAL TOL: ±0.20 MM		MODULE NUMBER: T111103A-BL-W4	
CUS NO:		PROJECTION	DATE: 19-NOV-2011
DRAW BY:	ZXM		
CHK BY:	LQIN	TEL:0755-29161619	
APP BY:	15	FAX:0755-29161639	
DO NOT SCALE THIS DRAWING.		SHENZHEN TILCOM ELECTRONICS CO.,LTD.	



确认此型号所有图纸 签字确认:

GENERAL TOLERANCE: ±0.2



SPECIFICATIONS


FRONT POLARIZER : TRANSMISSIVE  
 BACK POLARIZER : TRANSFLECTIVE  
 STORAGE TEMP : -10°C TO +60°C  
 OPERATING TEMP : 0°C TO +50°C  
 VIEWING DIRECTION : 12 O'CLOCK  
 DRIVE CONDITION : 1/32D 1/5B, 4.8V  
 DISPLAY MODE : FSTN, POSITIVE MODE  
 CONNECTOR: ZEBRA  
 CUSTOMER P/N : HT1650

SHEET: 1 OF 4		 深圳帝天利和电子有限公司 SHEN ZHEN TICOM ELECTRONICS CO.,LTD.	MODULE NUMBER: T111103A-SZ0-W	 PROJECTION	DATE: 19-NOV-2011
GENERAL TOL: ±0.20 MM	UNITS MM				
CUS NO:					
DRAW BY:	ZXM				
CHK BY:	LQIN				
APP BY:	15				
DO NOT SCALE THIS DRAWING.					
TEL:0755-29161619		FAX:0755-29161639			





确认此型号所有图纸 签字确认：

GENERAL TOLERANCE: ±0.2




黑色丝印印在底玻璃上


SHEET: 3 OF 4		 <b>深圳市天利和电子有限公司</b> <b>SHEN ZHEN TLI.COM ELECTRONICS CO.,LTD.</b>	
GENERAL TOL: ±0.20 MM	UNITS MM		
CUS NO:	MODULE NUMBER:	T111103A-SZO-W	
DRAW BY: ZXM	PROJECTION:		
CHK BY: LQIN	DATE:	19-NOV-2011	
APP BY:	DO NOT SCALE THIS DRAWING.	TEL:0755-29161619 FAX:0755-29161639	

确认此型号所有图纸 签字确认：

GENERAL TOLERANCE:±0.2




SEG



COM

此页仅供参考逻辑走线

SHEET: 4 OF 4		 <b>深圳市天利和电子有限公司</b> <b>SHEN ZHEN TICOM ELECTRONICS CO.,LTD.</b>	
GENERAL TOL: ±0.20 MM	UNITS MM		
CUS NO:	MODULE NUMBER:	TEL:0755-29161619	
DRAW BY: ZXM	T111103A-SZO-W	FAX:0755-29161639	
CHK BY: LQIN	PROJECTION	DATE: 19-NOV-2011	
APP BY: 15	DO NOT SCALE THIS DRAWING.		